

07-11-12:02:57PM;

;516-882-0636

2/ 2

811 LEGISLATIVE OFFICE BUILDING
ALBANY, NEW YORK 12247
(518) 455-2340
FAX (518) 456-0975

230 TOWNSEND SQUARE
OSTER BAY, NEW YORK 11771
(914) 922-1811
FAX (914) 922-1154

MARCELLINO@NYSENATE.GOV



THE SENATE
STATE OF NEW YORK
SENATOR CARL L. MARCELLINO
5TH DISTRICT

June 20, 2012

CHAIRMAN
INVESTIGATIONS AND GOVERNMENT OPERATIONS
COMMITTEE

COMMITTEE MEMBER
BANKS
CONSUMER PROTECTION
CULTURAL AFFAIRS AND TOURISM
EDUCATION
ENVIRONMENTAL CONSERVATION
FINANCE
LABOR
INFLA

Joseph Martens
Commissioner
NYS Department of Environmental Conservation
625 Broadway
Albany, New York 12233

Dear Commissioner Martens:

We are writing concerning the Proposed Remedial Action Plan for the Northrop Grumman - Bethpage Facility Operable Unit Number: 03 in Bethpage. We urge you to select a treatment option that fully protects the surrounding public water wells.

The proposed remedy, Alternative 5, needs to ensure that the groundwater plume emanating from OU3 does not impact any public water wells. The proposed treatment system needs to be constantly monitored to fully locate the leading edge of the plume and protect any wellheads.

As you are aware, the drinking water on Long Island comes from a sole source aquifer. It is imperative that all actions be taken to protect the water supply for our residents.

We urge the Department, when implementing any Remedial Action Plan for the site, to take all the actions necessary to protect the wellheads for surrounding public water supplies. Our drinking water is too precious and fragile to not make every effort to remove any threats.

Sincerely,

Carl L. Marcellino
Member of the Senate

Kamp Hannon
Member of the Senate

Charles Fuschillo
Member of the Senate