

2023 drinking water quality report

MASSAPEQUA WATER DISTRICT
PUBLIC WATER SUPPLY IDENTIFICATION NO. 2902837



ANNUAL WATER SUPPLY REPORT

SPRING 2024


The Massapequa Water District is pleased to present to you this year's Water Quality Report. The report is required to be publicly available to all residents of our District in compliance with Federal and State regulations. The Board of Commissioners is happy to report that our water is in full compliance with all Federal, State and County regulations and that no violations exist. Our constant goal is to provide you with a safe and dependable supply of drinking water every day. We also want you to understand the efforts we make to continually improve the water treatment process and protect our water resources. The Board of Water Commissioners and the District employees are committed to ensuring that you and your family receive the highest quality water.

SOURCE OF OUR WATER

The source of water for the District is groundwater pumped from nine (9) wells located throughout the community that are drilled into the Magothy aquifer beneath Long Island, as shown on the enclosed figure. Generally, the water quality of the aquifer in Massapequa is excellent.

The sources of drinking water (both tap water and bottled water) include rivers, lakes, streams, ponds, reservoirs, springs, and wells. As water travels over the surface of the land or through the ground, it dissolves naturally occurring minerals and, in some cases, radioactive material, and can pick up substances resulting from the presence of animals or from human activities. Contaminants that may be present in source water include: microbial contaminants; inorganic contaminants; pesticides and herbicides; organic chemical contaminants; and radiological contaminants.

In order to ensure that tap water is safe to drink, the State and the EPA prescribe regulations that limit the amount of certain contaminants in water provided by public water systems. The State Health Department's and the FDA's regulations establish limits for contaminants in bottled water which must provide the same protection for public health.



THE LONG ISLAND AQUIFER SYSTEM

The population served by the Massapequa Water District during 2023 was approximately 46,000. The total amount of water withdrawn from the aquifer in 2023 was 1.974 billion gallons, of which approximately 98.69 percent was billed directly to consumers. We had a 2.0 percent loss, which is within industry standards and is lost during hydrant flushing, firefighting/training, water main breaks and well blow-off.

WHAT TYPE OF WATER TREATMENT IS USED?

The Massapequa Water District provides treatment at all wells to improve the quality of the water pumped prior to distribution to the consumer. The pH of the pumped water is adjusted upward to reduce the corrosive action between the water and water mains and in-house plumbing by the addition of sodium hydroxide. To provide optimum corrosion control, the Water District also adds blended polyphosphates to the water produced at each well site. This product will sequester the oxidation of metals such as iron (see section on page 2) and provide a passivating film on the interior surfaces of ferrous iron and copper piping to mitigate the potential leaching of lead and copper. It should be noted that all water treatment chemicals used by the District comply with ANSI/NSF Standard 60. This standard is the accepted health-effect standard for drinking water additives. The District is also required to chlorinate the water supply with small amounts of chlorine. The District also operates an iron removal treatment system for Well Nos. 3 and 8.

COST OF WATER

The District utilizes a step billing schedule, as shown on the table below. The average household pays \$1.50 per day for water service (based on water rates and ad valorem taxes).

2024 Semi-Annual Water Rates - Residential

Consumption (gallons)	Charges
Up to 25,000	\$1.70/thousand gallons
25,001 - 100,000	\$2.45/thousand gallons
100,001 - 150,000	\$2.76/thousand gallons
150,001 - 200,000	\$3.08/thousand gallons
Over 200,000	\$3.47/thousand gallons

Semi-Annual Billing

5/8" - 3/4" meter	\$42.50 min. charge
1" meter	\$73.70 min. charge

CONTACTS FOR ADDITIONAL INFORMATION

If you have any questions about this report, concerning the Massapequa Water District or your water supply, please contact the Water District Superintendent Kevin Reilly, P.E. at (516) 798-5266 or the Nassau County Department of Health at (516) 227-9692. You may also want to visit our website at www.massapequawater.com. We want our valued customers to be informed about our water system. If you want to learn more, please attend any of our regularly scheduled meetings. They are normally held on each Wednesday afternoon at 5:00 p.m. at the Water District office.

The Massapequa Water District routinely monitors for different parameters and contaminants in your drinking water as required by Federal and State laws. All drinking water, including bottled drinking water, may be reasonably expected to contain at least small amounts of some constituents. It is important to remember that the presence of these constituents does not necessarily pose a health risk. For more information on contamination and potential health risks, please contact the USEPA Safe Drinking Water Hotline at 1-800-426-4791 or www.epa.gov/safewater.

During 2023, the District collected 30 samples for lead and copper. The next round of samples will occur in 2026. If present, elevated levels of lead can cause serious health problems, especially for pregnant women, infants, and young children. It is possible that lead levels at your home

may be higher than at other homes in the community as a result of materials used in your home's plumbing. The Massapequa Water District is responsible for providing high quality drinking water, but cannot control the variety of materials used in plumbing components. When your water has been sitting for several hours, you can minimize the potential for lead exposure by flushing your tap for 30 seconds to 2 minutes before using water for drinking or cooking. If you are concerned about lead in your water, you may wish to have your water tested. Information on lead in drinking water, testing methods, and steps you can take to minimize exposure is available from the Safe Drinking Water Hotline (1-800-426-4791) or at <http://www.epa.gov/safewater/lead>.

Some people may be more vulnerable to disease causing microorganisms or pathogens in drinking water than the general population. Immuno-compromised persons such as persons with cancer undergoing chemotherapy, persons who have undergone organ transplants, people with HIV/AIDS or other immune system disorders, some elderly, and infants can be particularly at risk from infections. These people should seek advice from their health care provider about their drinking water. EPA/CDC guidelines are appropriate means to lessen the risk of infection by Cryptosporidium, Giardia and other microbial pathogens are available from the Safe Drinking Water Hotline (800-426-4791).

WATER CONSERVATION MEASURES

In 2023, the Massapequa Water District continued to implement a water conservation program in order to minimize any unnecessary water use. The pumpage for 2023 was 1.1 percent less than in 2022.

Residents of the District can also implement their own water conservation measures such as retrofitting plumbing fixtures with flow restrictors, modifying automatic lawn sprinklers to include rain sensors, repairing leaks in the home, installing water conservation fixtures/appliances and maintaining a daily awareness of water conservation in their personal habits. Residents can pick up water conservation kits at the District office. In addition, consumers should be aware that the Nassau County Lawn Sprinkler Regulations are still in effect. This includes the ODD/EVEN day limitation and no irrigation between the hours of 10:00 a.m. and 4:00 p.m. Besides protecting our precious underground water supply, water conservation will produce a cost savings to the consumer in terms of both water and energy bills (hot water). Utilizing the water conservation measures listed above can reduce your water use by up to 5%.

ARE THERE CONTAMINANTS IN OUR DRINKING WATER?

The natural geology of Long Island's south shore in areas like Massapequa contain significant amounts of minerals that result in naturally occurring elevated levels of iron in the water. The District adds iron sequestering agents (long chain polyphosphates) at all wells as part of the District's overall water treatment program to supplement corrosion control and to maintain the iron in the soluble state to minimize water stains on laundry and plumbing fixtures. The District continues to monitor the iron levels. Since the levels are approaching regulatory requirements for iron sequestering, the District has installed an iron removal system that has been in service since 2021. In accordance with State regulations, the Massapequa Water District routinely monitors your drinking water for numerous parameters. We test your drinking water for coliform bacteria, turbidity, inorganic contaminants, lead and copper, nitrate, volatile organic contaminants, total trihalomethanes and synthetic organic contaminants. Over 135 separate parameters are tested for in each of our wells numerous times per year. The table presented on page 3 depicts which parameters or contaminants were detected in your drinking water. It should be noted that many of these parameters are naturally found in some Long Island drinking water and do not pose any adverse health affects.

Groundwater contamination for organic compounds has been a critical issue in Nassau County. Massapequa Water District is one of the last water suppliers in the County that does not have to treat their water due to groundwater contamination for organic compounds.

SOURCE WATER ASSESSMENT

The NYSDOH, with assistance from the local health department, has completed a source water assessment for this system, based on available information. Possible and actual threats to this drinking water source were evaluated. The source water assessment includes a susceptibility rating based on the risk posed by each potential source of contamination and how rapidly contaminants can move through the subsurface to the wells. The susceptibility of a water supply well to contamination is dependent upon both the presence of potential sources of contamination within the well's contributing area and the likelihood that the contaminant can travel through the environment to reach the well. The susceptibility rating is an estimate of the potential for contamination of the source water, it does not mean that the water delivered to consumers is, or will become contaminated. See the section entitled "Water Quality" for a list of the contaminants that have been detected. The source water assessments provide resource managers with additional information for protecting source waters into the future.

Our drinking water is derived from nine (9) wells. The source water assessment has rated most of the wells as having a medium high to very high susceptibility to industrial solvents and a high susceptibility to nitrates. The elevated susceptibility to industrial solvents is due primarily to point sources of contamination related to transportation routes and commercial/industrial facilities and related activities in the assessment area. The high susceptibility to nitrate contamination is attributable to residential, commercial and institutional land use and related practices in the assessment area, such as fertilizing lawns.

A copy of the assessment, including a map of the assessment area, can be obtained by contacting the Water District.

2023 DRINKING WATER QUALITY REPORT - TABLE OF DETECTED PARAMETERS

Contaminants	Violation (Yes/No)	Date of Sample*	Level Detected (Maximum Range)	Unit Measurement	MCLG	Regulatory Limit (MCL or AL)	Likely Source of Contaminant
Inorganic Contaminants							
Copper	No	July/August 2023	ND - 0.90 0.140 ⁽¹⁾	mg/l	1.3	AL = 1.3	Corrosion of household plumbing systems; Erosion of natural deposits
Lead	No	July/August 2023	ND - 2.8 ND ⁽¹⁾	ug/l	0	AL = 15	Corrosion of household plumbing systems; Erosion of natural deposits
Barium	No	08/02/23	ND - 0.010	mg/l	2	MCL = 2	Naturally occurring
Sodium	No	07/13/23	2.3 - 26.9	mg/l	n/a	No MCL ⁽²⁾	Naturally occurring
Zinc	No	08/02/23	ND - 0.091	mg/l	n/a	MCL = 5	Naturally occurring
Chloride	No	08/02/23	3.4 - 28.4	mg/l	n/a	MCL = 250	Naturally occurring
Beryllium	No	08/02/23	ND - 0.32	ug/l	4	MCL = 4	Naturally occurring
Iron	No ⁽³⁾	01/26/23	ND - 1260	ug/l	n/a	MCL = 300 ⁽³⁾	Naturally occurring
Manganese	No	07/25/23	ND - 44.3	ug/l	n/a	MCL = 300 ⁽³⁾	Naturally occurring
Nickel	No	08/02/23	0.95 - 7.5	ug/l	n/a	No MCL	Naturally occurring
Sulfate	No	08/01/23	ND - 12.9	mg/l	n/a	MCL = 250	Naturally occurring
Magnesium	No	08/02/23	ND - 2.0	mg/l	n/a	No MCL	Naturally occurring
Calcium	No	08/02/23	0.21 - 2.6	mg/l	n/a	No MCL	Naturally occurring
Perchlorate	No	05/11/23	ND - 12.2	ug/l	0	AL = 18 ⁽⁴⁾	Fertilizer
Radionuclides							
Gross Alpha	No	08/16/22	ND - 0.986	pCi/L	n/a	MCL = 15	Naturally occurring
Gross Beta	No	08/23/22	0.056 - 2.96	pCi/L	n/a	MCL = 50	Naturally occurring
Radium 226 & 228 Combined	No	08/30/22	0.269 - 1.513	pCi/L	n/a	MCL = 5 ⁽⁵⁾	Naturally occurring
Total Uranium	No	08/16/22	ND - 0.493	ug/l	n/a	MCL = 30	Naturally occurring
Disinfection By-Products							
Total Trihalomethanes	No	05/10/23	ND - 4.1	ug/l	n/a	MCL = 80	Disinfection By-Products
Synthetic Organic Contaminants (SOCs)							
1,4-Dioxane	No	10/24/23	ND - 0.062	ug/l	0	MCL = 1.0 ⁽⁶⁾	Industrial discharge ⁽⁷⁾
Benzo(a)pyrene	No	09/06/23	ND - 26.0	ng/l	0	MCL = 200	Leaching from linings of water storage tanks and distribution lines
Disinfectants							
Chlorine Residual	No	Continuous	0.3 - 1.2	mg/l	4	MRDL = 4.0	Used as an disinfectant
Physical Characteristics							
pH	No	Continuous	5.9 - 7.7	pH units	n/a	7.5 - 8.5 ⁽⁸⁾	Measure of acidity or alkalinity
Total Alkalinity	No	11/30/23	32.1 - 42.9	mg/l	n/a	No MCL	Naturally occurring
Calcium Hardness	No	05/10/23	1.9 - 4.5	mg/l	n/a	No MCL	Naturally occurring
Total Hardness	No	11/30/23	3.0 - 6.6	mg/l	n/a	No MCL	Naturally occurring
Total Dissolved Solids (TDS)	No	11/30/23	64.0 - 103.0	mg/l	n/a	No MCL	Naturally occurring

2023 DRINKING WATER QUALITY REPORT - TABLE OF DETECTED PARAMETERS (cont'd.)

Contaminants	Violation (Yes/No)	Date of Sample*	Level Detected (Maximum Range)	Unit Measurement	MCLG	Regulatory Limit (MCL or AL)	Likely Source of Contaminant
Unregulated Contaminant Rule - Phase 4 (UCMR4) ⁽⁹⁾							
Manganese	No	05/03/18	2.6 - 43.2	ug/l	n/a	MCL = 300 ⁽³⁾	Naturally occurring
HAA5	No	10/03/18	ND - 0.96	ug/l	n/a	MCL = 60	Disinfection By-Product
HAA6Br	No	10/03/18	ND - 0.99	ug/l	n/a	No MCL	Disinfection By-Product
HAA9	No	10/03/18	ND - 1.28	ug/l	n/a	No MCL	Disinfection By-Product

Definitions:

Maximum Contaminant Level (MCL) - The highest level of a contaminant that is allowed in drinking water. MCLs are set as close to the MCLGs as feasible.

Maximum Contaminant Level Goal (MCLG) - The level of a contaminant in drinking water below which there is no known or expected risk to health. MCLGs allow for a margin of safety.

Action Level (AL) - The concentration of a contaminant which, if exceeded, triggers treatment or other requirements which a water system must follow.

Health Advisory (HA) - An estimate of acceptable drinking water levels for a chemical substance based on health effects information; a health advisory is not a legally enforceable Federal standard, but serves as technical guidance to assist Federal, State and local officials.

Milligrams per liter (mg/l) - Corresponds to one part of liquid in one million parts of liquid (parts per million - ppm).

Micrograms per liter (ug/l) - Corresponds to one part of liquid in one billion parts of liquid (parts per billion - ppb).

Nanograms per liter (ng/l) - Corresponds to one part of liquid in one trillion parts of liquid (parts per trillion - ppt).

Treatment Technique (TT) - A required process intended to reduce the level of a contaminant in drinking water.

Non-Detects (ND) - Laboratory analysis indicates that the constituent is not present.

Maximum Residual Disinfectant Level (MRDL) - The highest level of a disinfectant allowed in your drinking water.

Maximum Residual Disinfectant Level Goal (MRDLG) - The level of a drinking water disinfectant below which there is no known or expected risk to health. MRDLGs do not reflect the benefits of the use of disinfectants to control microbial contamination.

pCi/L - pico Curies per Liter is a measure of radioactivity in water.

*Date of Sample - Represents the maximum level of the table of detected contaminants.

**Disinfection By-Products - Samples are taken annually, which is why there is not a Locational Running Annual Average (LRAA).

⁽¹⁾ - During 2023, we collected and analyzed 30 samples for lead and copper. The action level for lead was not exceeded at any site tested. The next round of sampling and testing will occur in 2026. The values reported for lead and copper represent the 90th percentile. A percentile is a value on a scale of 100 that indicates the percent of a distribution that is equal to or below it. The 90th percentile is equal to or greater than 90% of the lead and copper values detected at your water system. In our sampling program, the 90th percentile value is the 4th highest result.

⁽²⁾ - No MCL has been established for sodium. However, 20 mg/l is a recommended guideline for people on high restricted sodium diets and 270 mg/l for those on moderate sodium diets.

⁽³⁾ - If iron and manganese are present, the total concentration of both should not exceed 500 ug/l. Higher levels may be allowed by the State when justified by the supplier of water. Massapequa Water District currently blends two wells to reduce the effluent iron levels to meet the recommended standard for further iron sequestration treatment. The Water District is currently in the planning stages to install iron removal treatment for the well with high iron levels.

⁽⁴⁾ - Perchlorate is an unregulated contaminant. However, the NYS Dept. of Health has established an action level of 18.0 ug/l.

⁽⁵⁾ - MCL is for Combined Radium 226 & 228.

⁽⁶⁾ - 1,4-Dioxane -The New York State (NYS) has established an MCL for 1,4 dioxane at 1.0 part per billion (ppb) effective August 26, 2020.

⁽⁷⁾ - It is used as a solvent for cellulose formulations, resins, oils, waxes and other organic substances. It is also used in wood pulping, textile processing, degreasing, in lacquers, paints, varnishes, and stains; and in paint and varnish removers.

⁽⁸⁾ - As per Nassau County Department of Health guidelines.

⁽⁹⁾ - UCMR4 - Unregulated Contaminant Monitoring Rule is a Federal water quality sampling program where water suppliers sample and test their source water for 1 year. Results will be used by the USEPA to determine if the contaminants need to be regulated in the future.

WATER SYSTEM IMPROVEMENTS

The District is also continuing with a Capital Improvement Program to rehabilitate existing equipment and facilities to ensure that the District is able to supply a safe and reliable source of drinking water and sufficient pumping capacity for fire flow protection.

The District has continued its diligent and proactive efforts to upgrade and keep current with our customer water quality and consumptive use demands, while meeting and exceeding the stringent regulatory requirements of the EPA, New York State Department of Environmental Conservation and New York State and the local health departments. Furthermore, progressive capital improvements will provide our residents with a safe and reliable source of drinking water at the lowest possible cost.

During 2023, the District worked on the following projects:

1. The District is continuing with its commitment of replacing aging infrastructure by replacing water meters and fire hydrants in 2023. The District's water meter and fire hydrant replacement programs will continue in 2024.
2. The Massapequa Water District plans to replace approximately 15,000 linear feet of aging water main across 13 streets due to a history of water main breaks. The project involves the replacement of old 6-inch cast iron water main with new 8-inch diameter cement-lined ductile iron water main, with construction scheduled to commence in late 2024 and span into 2025 and 2026.

The Massapequa Water District conducts over 10,000 water quality tests throughout the year, testing for over 130 different contaminants which have been undetected in our water supply including:

Arsenic	Atrazine	Trichloroacetic Acid	1,1,2,2-Tetrachloroethane
Cadmium	Metolachlor	Dibromoacetic Acid	1,2,3-Trichloropropane
Chromium	Metribuzin	Total Haloacetic Acid	2-Chlorotoluene
Fluoride	Butachlor	Dichlorodifluoromethane	4-Chlorotoluene
Mercury	2,4-D	Chloromethane	1,2-Dichlorobenzene
Langlier Saturation Index	2,4,5-TP (Silvex)	Vinyl Chloride	1,3-Dichlorobenzene
Selenium	Dinoseb	Bromomethane	1,4-Dichlorobenzene
Silver	Dalapon	Chloroethane	1,24-Trichlorobenzene
Color	Picloram	Trichlorofluoromethane	Hexachlorobutadiene
Turbidity	Dicamba	Chlorodifluoromethane	1,2,3-Trichlorobenzene
Odor	Pentachlorophenol	1,1-Dichloroethene	Benzene
Ammonia	Hexachlorocyclopentadiene	Methylene Chloride	Toluene
Nitrite	bis(2-Ethylhexyl)adipate	Trans-1,2-Dichloroethene	Ethylbenzene
Nitrate	bis(2-Ethylhexyl)phthalate	1,1-Dichloroethane	M,P-Xylene
Detergents (MBAS)	Hexachlorobenzene	cis-1,2-Dichloroethene	O-Xylene
Free Cyanide	Aldicarb Sulfone	2,2-Dichloropropane	Styrene
Antimony	Aldicarb sulfoxide	Bromochloromethane	Isopropylbenzene (Cumene)
Thallium	Aldicarb	1,1,1-Trichloroethane	N-Propylbenzene
Lindane	Total Aldicarb	Carbon Tetrachloride	1,3,5-Trimethylbenzene
Heptachlor	Oxamyl	1,1-Dichloropropene	Tert-Butylbenzene
Aldrin	Methomyl	1,2-Dichloroethane	1,2,4-Trimethylbenzene
Perfluorodecanoic Acid	3-Hydroxycarbofuran	Trichloroethene	Sec-Butylbenzene
PFMPA	Carbofuran	1,2-Dichloropropane	4-Isopropyltoluene (P-Cumene)
Perfluoropentanoic Acid	Carbaryl	Dibromomethane	N-Butylbenzene
Perfluorotridecanoic Acid	Glyphosate	Trans-1,3-Dichloropropene	Methyl Tert-Butyl Ether (MTBE)
HFPO-DA	Diquat	PFEESA	Perfluorobutanesulfonic acid
6:2FTS	Endothall	Perfluorododecanoic Acid	Perfluoroheptanoic acid
Hexavalent Chromium	1,2-Dibromoethane (EDB)	NMeFOSSA	Perfluorononanoic acid
2,3,5,6-Tetrafluorobenzaldehyde	Perfluoroundecanoic Acid	11Cl-P3ONS	Perfluorohexanesulfonic acid
Crontonaldehyde	Perfluorohexanoic Acid	ADONA	Perfluorooctanesulfonic acid
Heptanal	Perfluoropentanesulfonic Acid	4:2FTS	Perfluorooctanoic acid
Pentanal	NEFOSSA	Acetone	Perfluorobutanoic Acid
Chlorite	NFDHA	Benzaldehyde	Perfluoroheptanesulfonic Acid
Valeri Acid	8:2FTS	Formaldehyde	PFMBA
Dimethipin	1,1,2-Trichlorotrifluoroethane	Octanal	Perfluorotetradecanoic Acid
Tebuconazole	Acetaldehyde	Acetic Acid	9CL-PF3ONS
o-Toluidine	Decanal	Formic Acid	Chlorate
2-Propen-1-OL	Nonanal	Chlorpyrifos	Bromide
2-Butanone (MEK)	Propanal	Oxyfluorfen	Butanal
Naphthalene	Cyclohexanone	Tribufos	Glyoxal
Tribromoacetic Acid	Germanium	1-Butanol	Butyric Acid
Heptachloro Epoxide	Ethoprop	4-Methyl-2-Pentanone (MIBK)	Propionic Acid
Dieldrin	Total Permethrin (cis- & trans-)	Tetrahydrofuran	Alpha-Hexachlorocyclohexane
Endrin	Quinoline	Bromodichloroacetic Acid	Propfenofos
Methoxychlor	2-Hexanone	cis-1,3-Dichloropropene	Butylated Hydroxyanisole
Toxaphene	Bromochloroacetic Acid	1,1,2-Trichloroethane	2-Methoxyethanol
Chlordane	1,2-Dibromo-3-Chl.Propane	Tetrachloroethene	Chlorodibromoacetic Acid
Total PCBs	Dioxin	1,3-Dichloropropane	Methy Glyoxal (2-Oxopropanal or Pyruvic Aldehyde)
Propachlor	Chloroacetic Acid	Chlorobenzene	E.coli
Alachlor	Bromoacetic Acid	1,1,1,2-Tetrachloroethane	Total Coliform
Simazine	Dichloroacetic Acid	Bromobenzene	

Copies of the Supplemental Data Package, which includes the water quality data for each of our supply wells utilized during 2023, are available at the Massapequa Water District office which is located at 84 Grand Avenue, Massapequa, New York and the local Public Library.

We at the Massapequa Water District work continually to provide the highest quality water to every tap throughout the community. The security of our system is everyone's responsibility. We ask all of our consumers to be vigilant and if any suspicious activity is observed at any of our facilities, we ask you to call 911 and the Massapequa Water District at 516-798-5266.

INFORMATION FOR NON-ENGLISH SPEAKING RESIDENTS

Spanish

Este informe contiene información muy importante sobre su agua beber. Tradúzcalo ó hable con alguien que lo entienda bien.

Massapequa Water District
84 Grand Avenue
Massapequa, New York 11758

PRSRT STD
US Postage
Paid
Massapequa, NY
Permit No. 36

BUSINESS HOURS

Monday-Friday 8:00 AM - 4:30 PM

www.massapequawater.com

Board of Commissioners

Raymond J. Avera
Thomas P. McCarthy
Michael E. Mazzola

Superintendent

Kevin Reilly, P.E.

PROFESSIONAL MEMBERSHIPS

- Long Island Water Conference
- Nassau-Suffolk Water Commissioners
- Massapequa Chamber of Commerce
- American Waterworks Association
- New York State Government Finance Officer's Association, Inc.

24 HOUR EMERGENCY NUMBER
516-852-0196

WATER RESTRICTIONS

All residents must follow Nassau County's sprinkling regulations which prohibit any type of irrigation from 10:00 a.m. to 4:00 p.m. Watering is permitted all other hours under the following conditions:

- 1. EVEN-numbered addresses and premises without numbers may be watered on EVEN-numbered days.**
- 2. Residents with ODD-numbered addresses may irrigate on ODD-numbered days.**

These regulations apply 365 days a year to both automatic and time-controlled sprinkler systems and manually operated hose sprinkling.

The Board of Commissioners of the Massapequa Water District strongly encourages its customers to "Kick the Bottled Water Habit" and just drink tap water by offering environmentally friendly, reusable water bottles free of charge. Contrary to commonly held beliefs, tap water has been deemed safer than bottled water because of the more rigorous required drinking water testing standards. Residents can pick up their reusable tap water bottles at the Water District.

